

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



HIGH MODULUS

PAINTED BLANK

SALTWATER SERIES

Cast/Shooter	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
CS721-MHX	10.55	10.24	10.18	9.85	9.63	9.31	8.99	8.82	8.46	8.20	7.99		
CS722-MHX	10.95	10.72	10.58	10.32	10.02	9.80	9.58	9.26	9.00	8.74	8.33		
CS723-MHX	13.01	12.69	12.31	11.96	11.52	11.28	10.90	10.54	10.18	9.77	9.48		
CS724-MHX	13.15	13.12	12.58	12.21	11.89	11.55	11.22	10.85	10.62	10.23	9.89		
CS725-MHX	13.40	13.40	13.25	12.84	12.62	12.26	11.96	11.64	11.32	11.16	10.82		
CS726-MHX	13.73	13.70	13.70	13.67	13.38	13.04	12.68	12.36	12.20	11.73	11.27		

Crank Bait	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
CB783-Blend	11.43	11.13	10.93	10.65	10.33	10.06	9.69	9.38	9.13	8.78	8.49		
CB841-Blend	10.51	10.33	10.23	10.11	9.89	9.81	9.66	9.50	9.38	9.08	8.88		
CB843-Blend	12.31	12.02	11.74	11.50	11.29	10.96	10.70	10.36	9.96	9.68	9.33		
CB845-Blend	13.63	13.30	12.97	12.63	12.38	12.05	11.73	11.32	11.05	10.78	10.45		
CB847-Blend	14.23	14.00	13.75	13.45	13.09	12.74	12.40	12.08	11.72	11.38	11.01		
CB903-Blend	12.47	12.47	12.47	12.46	12.15	11.88	11.60	11.28	11.01	10.72	10.40		
CB905-Blend	14.42	14.26	14.18	13.88	13.63	13.31	12.96	12.58	12.35	12.03	11.68		
CB905-W-Blend	14.54	14.43	14.31	13.89	13.71	13.39	13	12.66	12.31	12.02	11.7		
CB906-Blend	14.48	14.48	14.34	13.98	13.66	13.49	13.05	12.72	12.42	12.1	11.79		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Crank Bait	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
CB907-Blend	14.55	14.47	14.42	14.12	13.78	13.42	13.09	12.78	12.48	12.18	11.75		
CB907-W-Blend	14.62	14.58	14.51	14.22	13.97	13.61	13.39	12.98	12.68	12.47	12.12		
CB928-Blend	15.07	15.1	15.02	15	14.59	14.27	14.01	13.71	13.33	13.04	12.75		
CB965-Blend	14.47	14.37	14.37	14.37	14.37	14.27	13.95	13.60	13.28	12.86	12.63		
CB967-Blend	14.59	14.43	14.40	14.39	14.37	14.30	14.08	13.78	13.43	13.07	12.72		
CB968-MHX	15.05	15.01	14.98	14.94	14.9	14.83	14.56	14.23	13.95	13.61	13.43		

Composite SW	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
GFC96ML	23.63	23.54	23.13	22.75	22.43	21.98	21.53	21.13	20.74	20.30	19.98	19.48	18.97
GFC96M	24.57	24.23	23.75	23.33	22.91	22.54	22.18	21.73	21.35	20.98	20.64	20.20	19.84
GFC90ML	22.64	22.41	22.02	21.62	21.27	20.92	20.46	20.05	19.64	19.28	18.77	18.32	17.94
GFC90MH	24.24	24.06	23.61	23.21	22.82	22.35	22.03	21.55	21.20	20.80	20.33	19.98	19.60
GFC90M	23.09	22.77	22.40	22.09	21.67	21.30	20.93	20.52	20.25	19.82	19.38	18.96	18.46
GFC84ML	21.43	21.01	20.59	20.24	19.82	19.44	19.04	18.76	18.38	17.74	17.18	16.65	16.18
GFC84MH	23.08	22.62	22.37	21.93	21.58	21.31	20.91	20.45	20.05	19.67	19.26	18.68	18.15
GFC84M	22.21	21.83	21.47	21.24	20.89	20.45	20.06	19.64	19.27	18.84	18.30	17.73	17.04
GFC84L	14.27	13.99	13.73	13.43	13.16	12.80	12.49	12.16	11.88	11.57	11.25	10.95	10.64

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Downrigger	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
DR845-MHX	18.79	18.45	18.21	17.79	17.51	16.90	16.55	16.29	16.11	15.55	15.13	14.69	14.30
DR1024-MHX	16.80	16.80	16.72	16.68	16.68	16.68	16.64	16.63	16.60	16.60	16.53		
DR1086-MHX	19.92	19.92	19.72	19.51	19.20	18.85	18.82	18.30	17.99	17.60	17.30		
DR1266-MHX	19.03	18.81	18.73	18.39	18.25	17.98	17.78	17.57	17.36	17.06	16.84	16.54	16.31

Drop Shot	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
DS820-Blend	12.03	11.82	11.59	11.26	10.99	10.68	10.46	10.20	9.91	9.60	9.28		
DS821-Blend	11.79	11.92	11.86	11.67	11.65	11.59	11.55	11.44	10.93	10.64	10.27		
DS822-Blend	13.85	13.77	13.64	13.32	12.99	12.74	12.45	12.05	11.64	11.39	11.00		
DS822-W-Blend	13.93	13.81	13.53	13.27	12.98	12.64	12.34	12.14	11.75	11.49	11.2		
HM-DS822-MHX	12.52	12.47	12.42	12.34	12.25	12.19	11.9	11.6	11.31	11.02	10.71		

Drop Shot	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
DS823-MHX	14.15	14.07	13.76	13.4	13.16	12.93	12.56	12.21	11.98	11.67	11.29		
HM-DS8515-MHX	12.33	12.24	12.19	12.09	11.92	11.72	11.64	11.46	11.21	10.98	10.84		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Elite Pro Series	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
EPS78MF-MHX	10.87	10.76	10.69	10.58	10.52	10.48	10.31	10.13	9.97	9.67	9.40		
EPS78MHF-MHX	11.29	11.20	11.20	11.13	11.05	10.97	10.90	10.73	10.39	10.17	9.87		
EPS78MHXF-MHX	12.08	11.93	11.66	11.40	11.21	10.93	10.76	10.52	10.32	10.04	9.80		
EPS78MLF-MHX	10.68	10.64	10.51	10.48	10.44	10.31	10.16	9.95	9.73	9.31	9.23		
EPS78MLXF-MHX	11.86	11.65	11.38	11.15	10.97	10.70	10.46	10.21	9.96	9.69	9.47		
EPS78MXF-MHX	11.82	11.69	11.45	11.12	11.01	10.77	10.53	10.23	10.00	9.75	9.60		
EPS81MHXF-MHX	12.47	12.38	12.08	11.92	11.66	11.41	11.18	10.94	10.72	10.53	10.24		
EPS81MLXF-MHX	10.57	10.57	10.47	10.47	10.47	10.47	10.42	10.36	10.13	9.89	9.62		
EPS81MXF-MHX	10.91	10.84	10.75	10.75	10.67	10.63	10.54	10.49	10.36	10.05	9.81		
EPS82MF-MHX	10.83	10.74	10.76	10.75	10.73	10.66	10.62	10.56	10.48	10.23	9.94		
EPS82MHF-MHX	10.92	10.86	10.84	10.82	10.69	10.61	10.61	10.52	10.48	10.21	9.87		
EPS86MLF-MHX	12.98	12.76	12.45	12.22	11.89	11.68	11.40	11.10	10.85	10.51	10.25		
EPS86MF-MHX	12.58	12.58	12.58	12.52	12.48	12.36	12.06	11.81	11.54	11.32	11.05		
EPS86MHF-MHX	13.04	12.87	12.77	12.69	12.62	12.52	12.25	12.01	11.77	11.54	11.25		
EPS86HF-MHX	13.08	13.00	12.97	12.93	12.85	12.74	12.48	12.26	11.99	11.79	11.54		
EPS86MXF-MHX	12.85	12.85	12.69	12.64	12.64	12.56	12.23	12.05	11.74	11.45	11.20		
EPS86MHXF-MHX	13.20	13.05	13.01	12.90	12.86	12.79	12.58	12.28	12.04	11.77	11.50		
EPS90MHF-MHX	13.95	13.73	13.54	13.24	13.00	12.75	12.49	12.36	12.10	11.89	11.53		
EPS90HF-MHX	13.92	13.66	13.32	13.13	13.03	12.78	12.55	12.33	12.18	11.94	11.66		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Flippin' / Punchin'	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
FS904-MHX	15.26	14.87	14.77	14.56	14.29	14.11	13.89	13.55	13.25	13.04	12.72		
FS905-MHX	15.45	15.17	14.93	14.67	14.41	14.24	14.02	13.74	13.46	13.26	13.01		

Flippin' / Punchin'	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
FS906-MHX	15.59	15.3	15	14.66	14.39	14.15	13.8	13.64	13.44	13.19	13.05		
FP885-MHX	14.46	14.22	14.01	13.81	13.52	13.32	13.14	12.89	12.76	12.61	12.46		
FP935-MHX	14.8	14.57	14.37	14.14	13.89	13.62	13.36	13.19	12.89	12.73	12.48		
FP936-MHX	15.08	14.96	14.67	14.39	14.2	13.75	13.6	13.29	13.21	12.85	12.67		
FP936-W-MHX	15.19	14.99	14.68	14.43	14.31	13.95	13.79	13.52	13.25	12.99	12.72		
FP937-MHX	15.26	15.12	14.96	14.75	14.53	14.31	13.96	13.8	13.56	13.31	13.2		
FS966-MHX	14.8	14.71	14.57	14.39	14.26	14.01	13.85	13.76	13.61	13.4	13.36		

Fly (2 Piece)	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
F865-2-MHX	8.59	8.55	8.44	8.32	8.12	8.00	7.82	7.65					
F902-2-MHX	8.05	8.00	7.91	7.80	7.65	7.53	7.40	7.29					
F903-2-MHX	8.22	8.22	8.01	7.90	7.81	7.65	7.48	7.38					
F904-2-MHX	8.00	7.98	7.98	7.95	7.94	7.89	7.87	7.80					
F905-2-MHX	8.70	8.69	8.60	8.60	8.51	8.49	8.40	8.34					
F906-2-MHX	8.75	8.73	8.68	8.68	8.60	8.56	8.50	8.42					
F907-2-MHX	9.92	9.90	9.95	9.85	9.82	9.67	9.53	9.33					

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Fly (2 Piece)	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
F908-2-MHX	10.10	10.10	10.02	10.02	10.02	9.99	9.80	9.57					
F909-2-MHX	11.99	11.77	11.67	11.49	11.28	11.12	10.95	10.88					
F910-2-MHX	9.94	9.85	9.84	9.80	9.74	9.62	9.58	9.40					
F912-2-MHX	12.48	12.41	12.38	12.24	12.20	12.14	12.00	11.83					

Fly (3 & 4 Piece)	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
F662-3-MHX	5.91	5.68	5.62	5.37	5.12	4.83	4.70	4.60					
F663-3-MHX	6.01	5.73	5.73	5.51	5.30	5.18	4.91	4.74					
F703-3-MHX	7.01	6.81	6.71	6.62	6.35	6.10	5.83	5.68					
F704-3-MHX	7.30	7.12	6.93	6.68	6.55	6.26	6.10	5.92					
F763XF-3-MHX	7.85	7.72	7.46	7.31	7.13	6.98	6.77	6.53					
F763-4-MHX	6.75	6.60	6.60	6.60	6.50	6.35	6.18	6.01					
F764-4-MHX	7.10	7.10	7.10	7.04	6.83	6.63	6.40	6.20					
F803-4-MHX	6.65	6.60	6.60	6.60	6.45	6.30	6.07	5.87					
F804-4-MHX	7.97	7.81	7.71	7.44	7.16	6.93	6.70	6.53					
F864XF-4-MHX	9.2	8.82	8.58	8.27	7.94	7.77	7.38	7.1					
F865-4-MHX	9.28	8.89	8.68	8.41	8.10	7.80	7.48	7.25					
F903-4-MHX	8.94	8.80	8.57	8.28	8.04	7.83	7.57	7.34					
F904-4-MHX	9.05	8.98	8.81	8.55	8.22	7.92	7.75	7.50					
F905-4-MHX	9.38	9.10	8.75	8.51	8.29	8.05	7.77	7.52					
F905-4-W-MHX	9.55	9.53	9.2	8.86	8.55	8.31	7.97	7.79					

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Fly (3 & 4 Piece)	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
F906-4-MHX	9.59	9.34	9.28	9.01	8.65	8.36	8.10	7.81					
F907-4-MHX	9.66	9.59	9.40	9.17	8.96	8.68	8.46	8.24					
F908-4-MHX	9.75	9.70	9.43	9.25	9.00	8.73	8.55	8.31					
F909-4-MHX	10.71	10.58	10.41	10.22	9.89	9.64	9.37	9.18					
F910-4-MHX	10.90	10.69	10.45	10.29	10.02	9.84	9.48	9.22					
F912-4-MHX	13.42	12.99	12.65	12.33	12.06	11.69	11.38	11.04					
F967-4-MHX	10.20	9.94	9.73	9.56	9.33	9.09	8.88	8.67					

Head Boat	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
HB-60100	16.99	<i>NEARLY NO TAPER</i>											16.49
HB-6620	9.83	<i>NEARLY NO TAPER</i>											9.5
HB-6630	13.95	<i>NEARLY NO TAPER</i>											13.45
HB-6640	13.68	<i>NEARLY NO TAPER</i>											13.61
HB-6950	13.25	<i>NEARLY NO TAPER</i>											13.36

Hot Shot	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
HS9000-MHX	13.00	12.72	12.50	12.31	12.00	11.76	11.35	11.06	10.55	10.18	9.92		
HS96000-MHX	13.40	13.38	13.22	12.95	12.72	12.47	12.27	11.98	11.81	11.44	11.20		
HS9600-2-MHX	13.50	13.31	13.04	12.75	12.47	12.20	11.92	11.58	11.40	11.12	10.78		
HS981-MHX	13.81	13.76	13.75	13.51	13.24	13.00	12.76	12.50	12.25	11.87	11.51		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Lt. Saltwater	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
L842-MHX	12.76	12.54	12.31	12.00	11.58	11.22	10.85	10.45	10.37	10.00	9.60		
L842-W-MHX	12.70	12.61	12.24	12.07	11.71	11.30	10.98	10.65	10.30	10.04	9.67		
L843-MHX	13.48	13.17	12.98	12.68	12.19	12.05	11.78	11.56	11.55	11.19	10.95		
L844-MHX	14.00	13.80	13.54	13.22	12.88	12.70	12.52	12.20	11.87	11.57	11.44		
L902-MHX	13.61	13.49	13.18	12.92	12.66	12.42	12.10	11.80	11.43	11.01	10.61		
L903-MHX	14.48	14.20	13.90	13.66	13.37	13.04	12.73	12.37	12.08	12.03	11.87		
L904-MHX	15.03	14.72	14.32	14.02	13.63	13.42	13.24	12.94	12.70	12.42	12.21		
L904-2-MHX	16.21	15.85	15.58	15.26	14.86	14.50	14.24	13.95	13.68	13.39	13.06		
L904-W-MHX	15.22	14.85	14.54	14.11	13.82	13.57	13.28	13.13	12.90	12.58	12.33		
L905-MHX	20.35	19.96	19.66	19.28	18.95	18.57	17.95	17.48	16.99	16.60	16.09		
L905-2-MHX	16.31	15.93	15.58	15.10	14.65	14.31	13.97	13.64	13.32	13.05	12.69		

Mag Bass	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
MB782-MHX	11.93	11.70	11.60	11.41	11.14	10.88	10.63	10.36	10.17	9.99	9.76		
MB783-MHX	13.88	13.57	13.28	12.88	12.54	12.02	11.94	11.53	11.13	10.76	10.41		
MB783-COLOR-MHX	13.85	13.66	13.30	12.98	12.60	12.22	11.99	11.62	11.30	10.99	10.66		
MB784-MHX	14.38	14.00	13.73	13.40	13.09	12.69	12.33	12.00	11.61	11.25	10.92		
MB785-MHX	16.97	16.67	16.49	16.33	15.89	15.42	14.95	14.53	14.07	13.66	13.20		
MB842-MHX	12.91	12.51	12.46	12.22	12.02	11.84	11.60	11.45	11.14	10.88	10.61		
MB842-2-MHX	12.70	12.75	12.60	12.50	12.45	12.30	12.25	12.08	11.71	11.31	11.03		
MB843-MHX	14.66	14.65	14.31	13.95	13.60	13.21	12.89	12.54	12.22	11.87	11.56		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Mag Bass	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
MB843-2-MHX	12.83	12.86	12.82	12.70	12.57	12.57	12.40	12.07	11.76	11.34	11.01		
MB843-COLOR-MHX	14.75	14.5	14.16	13.78	13.48	13.07	12.78	12.47	12.15	11.88	11.47		
MB844-MHX	15.25	15.07	14.77	14.46	14.14	13.72	13.39	13.07	12.71	12.38	12.08		
MB844-2-MHX	13.65	13.60	13.46	13.08	12.84	12.57	12.31	12.02	11.78	11.50	11.25		
MB844-W-MHX	15.27	15.06	14.81	14.43	14.01	13.66	13.37	12.99	12.67	12.38	12.07		
MB845-MHX	15.46	15.42	15.37	15.25	15.20	15.16	15.16	15.04	15.00	14.79	14.54		
MB873-MHX	14.94	14.91	14.95	14.53	14.27	13.89	13.42	12.41	12.09	11.85	11.63		
MB873-COLOR-MHX	14.96	14.94	14.95	14.69	14.35	14.01	13.76	13.41	13.07	12.70	12.35		
MB874-MHX	14.52	14.42	14.42	14.43	14.38	14.34	14.31	14.24	14.10	13.82	13.40		
MB874-W-MHX	14.27	14.19	14.18	14.15	14.02	13.97	13.82	13.88	13.94	13.62	13.24		
MB875-MHX	15.38	15.45	15.42	15.41	15.36	15.27	15.25	15.25	15.2	15.08	15.03		
MB903-MHX	14.87	14.73	14.66	14.56	14.26	13.96	13.59	13.32	12.95	12.65	12.37		
MB904-MHX	14.28	14.19	14.19	14.14	14.09	14.04	14.04	14.01	13.98	13.95	13.64		
MB904-COLOR-MHX	14.23	14.21	14.15	14.15	14.12	14.08	14.07	14.04	13.97	13.91	13.57		
MB905-MHX	15.36	15.36	15.36	15.34	15.29	15.26	15.18	15.13	15.05	14.99	14.88		
MB941-MHX	15.06	14.63	14.19	13.88	13.35	12.96	12.70	12.41	12.09	11.85	11.63		

Mag Bass (XF)	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
MB752XF-MHX	12.68	12.68	12.62	12.58	12.49	12.21	11.82	11.50	11.18	10.79	10.44		
MB753XF-MHX	13.07	12.88	12.80	12.74	12.62	12.21	11.94	11.61	11.38	10.97	10.59		
MB783XF-MHX	13.00	12.99	12.93	12.82	12.81	12.71	12.38	12.06	11.75	11.40	11.10		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Mag Bass (XF)	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
MB812XF-MHX	12.87	12.82	12.75	12.66	12.66	12.59	12.58	12.34	12.08	11.69	11.39		
MB813XF-MHX	12.98	12.97	12.82	12.80	12.80	12.80	12.78	12.64	12.28	12.05	11.80		
MB813XF-W-MHX	13.17	13.06	12.96	12.94	12.94	12.88	12.90	12.73	12.44	12.03	11.75		
MB862XF-MHX	12.93	12.74	12.74	12.68	12.66	12.67	12.62	12.56	12.58	12.52	12.21		
MB863XF-MHX	13.05	13.05	13.03	12.94	12.92	12.84	12.81	12.79	12.79	12.74	12.50		
MB863XF-W-MHX	13.20	13.18	13.07	13.07	13.03	12.96	12.82	12.79	12.80	12.76	12.50		
MB864XF-MHX	15.15	15.11	14.85	14.51	14.26	13.91	13.58	13.17	12.93	12.57	12.33		

Mag Bass (High Mod)	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
HM-MB782-MHX	10.93	10.90	10.75	10.59	10.40	10.25	10.09	9.84	9.65	9.52	9.38		
HM-MB783-MHX	11.65	11.60	11.38	11.19	11.01	10.83	10.62	10.55	10.38	10.19	10.16		
HM-MB843-MHX	12.49	12.47	12.33	12.30	12.28	12.20	11.87	11.56	11.32	11.02	10.71		
HM-MB844-MHX	13.23	13.20	13.06	12.95	12.89	12.82	12.80	12.53	12.16	11.77	11.54		
HM-MB862-MHX	12.24	12.20	12.18	12.10	12.04	11.96	11.78	11.60	11.25	11.11	10.83		
HM-MB873-MHX	12.93	12.78	12.70	12.51	12.34	12.22	12.02	11.82	11.63	11.53	11.37		
HM-MB874-MHX	12.93	12.83	12.67	12.53	12.34	12.21	12.09	11.99	11.87	11.74	11.67		
HM-MB752XF-MHX	11.34	11.31	11.24	11.22	11.20	11.02	10.68	10.39	10.05	9.82	9.50		
HM-MB753XF-MHX	12.13	12.13	12.11	12.07	11.98	11.63	11.29	10.95	10.63	10.32	9.99		
HM-MB812XF-MHX	11.51	11.50	11.50	11.38	11.38	11.34	11.29	11.27	11.10	10.80	10.53		
HM-MB813XF-MHX	12.21	12.15	12.15	12.15	12.10	12.10	12.05	11.85	11.58	11.26	11.04		
HM-MB863XF-MHX	12.18	12.08	12.08	12.04	12.02	11.98	11.95	11.81	11.80	11.76	11.55		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Musky	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
MU84M-MHX	15.92	15.84	15.76	15.70	15.62	15.48	15.22	14.81	14.51	14.17	13.90		
MU84MH-MHX	16.33	16.18	16.06	16.00	15.91	15.90	15.56	15.25	14.77	14.45	14.14		
MU84H-MHX	16.79	16.62	16.36	16.11	15.75	15.46	15.16	14.85	14.47	14.15	13.86		
MU90MH-MHX	16.78	16.70	16.70	16.47	16.40	16.25	16.17	16.04	16.02	15.75	15.27		
MU90HF-MHX	18.20	17.82	17.50	17.26	16.90	16.50	16.30	16.00	15.67	15.27	15.02		
MU96MH-MHX	15.55	15.44	15.11	14.85	14.59	14.32	14.00	13.90	13.62	13.30	13.03		
MU96H-MHX	16.50	16.38	16.03	15.70	15.57	15.32	15.00	14.70	14.20	14.10	13.82		
MU96XH-MHX	18.62	18.39	18.20	17.85	17.60	17.48	16.97	16.80	16.50	16.00	15.71		
MU102H-MHX	17.47	17.21	16.90	16.64	16.35	15.84	15.56	15.57	15.31	15.04	14.82		
MU102XH-MHX	17.41	17.04	16.83	16.56	16.45	16.19	15.90	15.57	15.35	15.00	14.80		
MU108H-MHX	18.07	17.78	17.55	17.26	17.07	16.82	16.48	16.25	15.95	15.70	15.43		
MU108XH-MHX	18.29	17.87	17.61	17.35	17.09	16.86	16.60	16.37	16.10	15.80	15.41		
MU108XXH-MHX	18.74	18.74	18.67	18.47	18.34	18.22	18.10	17.95	17.86	17.72	17.62		

Popping	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
P842-MHX	13.38	13.25	13.08	12.69	12.35	11.95	11.72	11.50	11.10	10.76	10.53		
P842-2-MHX	12.82	12.80	12.75	12.63	12.30	11.99	11.73	11.23	10.89	10.56	10.10		
HM-P842-MHX	13.20	13.20	13.05	12.77	12.54	12.33	11.80	11.55	11.25	10.83	10.55		
P843-MHX	13.13	12.92	12.74	12.42	12.14	11.90	11.67	11.38	11.18	10.82	10.50		
P843-2-MHX	12.87	12.69	12.38	12.17	11.88	11.60	11.36	11.10	10.78	10.53	10.27		
HM-P843-MHX	13.30	13.23	12.87	12.54	12.21	12.01	11.56	11.24	10.83	10.53	10.16		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Popping	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
P844-MHX	13.13	12.83	12.68	12.42	12.11	11.82	11.59	11.31	11.00	10.74	10.44		
P844-2-MHX	12.98	12.75	12.51	12.24	11.97	11.68	11.31	11.21	10.90	10.63	10.44		
P844-W-MHX	13.19	13.00	12.71	12.46	12.19	12.01	11.64	11.38	11.11	10.79	10.52		
HM-P844-MHX	13.28	13.24	12.90	12.63	12.32	11.98	11.67	11.21	10.95	10.51	10.26		
P903-MHX	13.34	13.11	13.10	13.03	12.86	12.69	12.27	12.00	11.62	11.38	11.08		
P903-2-MHX	13.60	13.40	13.15	12.86	12.64	12.32	12.03	11.80	11.55	11.36	11.09		
HM-P903-MHX	13.15	13.11	13.09	13.01	12.70	12.46	12.21	11.85	11.47	11.21	10.98		
P904-MHX	13.33	13.29	13.25	13.09	12.91	12.63	12.33	12.08	11.80	11.58	11.20		
P904-2-MHX	13.83	13.60	13.35	13.06	12.80	12.52	12.28	12.00	11.78	11.50	11.26		
HM-P904-MHX	13.30	13.30	13.25	13.25	13.05	12.68	12.53	12.23	11.85	11.49	11.22		

Power Tip / Gorilla	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
PTSW54XH	22.21	22.16	21.02	19.59	18.28	16.58	15.55	14.94	14.65	14.22	13.70		
PTSW54XXH	22.25	22.18	21.79	20.62	19.13	17.61	16.30	15.67	15.25	14.74	14.42		
PTSW60XXH	19.34	19.02	18.71	18.15	17.64	17.04	16.60	16.28	15.92	15.57	15.19	14.73	14.30
PTSW66H	19.17	18.76	18.43	18.14	17.82	17.49	17.22	16.82	16.54	16.25	15.92	15.57	15.18
PTSW66XXH	20.18	20.06	19.73	19.56	19.08	18.79	18.57	18.25	17.92	17.55	17.26	16.98	16.72
PTSW72H	19.51	19.41	19.19	18.98	18.86	18.41	18.18	17.95	17.71	17.44	17.16	16.94	16.64
PTSW72XH	19.92	19.75	19.70	19.72	19.43	19.18	18.97	18.67	18.35	18.03	17.74	17.44	17.15
PTSW72XXH	21.05	20.66	20.54	20.33	20.09	19.72	19.40	19.07	18.81	18.51	18.22	17.88	17.63
PTSW78H	19.97	19.98	20.00	20.00	19.87	19.53	19.19	18.81	18.42	18.09	17.78	17.42	17.12

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Power Tip / Gorilla	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
PTSW78M-MHX	17.32	17.32	17.32	17.32	17.30	17.12	16.97	16.73	16.53	16.27	16.10	15.93	15.71
PTSW78MH-MHX	17.96	17.79	17.84	17.86	17.82	17.67	17.51	17.38	17.18	17.04	16.83	16.71	16.52
PTSW78ML-MHX	16.56	16.61	16.74	16.80	16.86	16.69	16.51	16.31	16.13	15.93	15.74	15.57	15.37
PTSW78XH	20.00	19.76	19.86	20.11	20.31	20.05	19.66	19.35	19.12	18.76	18.51	18.21	17.88
PTSW84L-MHX	16.31	16.23	16.26	16.33	16.27	16.31	16.33	16.24	16.11	15.92	15.75	15.55	15.33
PTSW84M-MHX	17.77	17.75	17.69	17.58	17.58	17.50	17.74	17.60	17.41	17.15	16.88	16.71	16.51
PTSW84MH-MHX	18.14	18.18	18.21	18.24	18.32	18.24	18.27	18.19	18.03	17.85	17.65	17.44	17.22
PTSW84ML-MHX	16.57	16.56	16.54	16.55	16.58	16.56	16.61	16.53	16.39	16.21	16.11	15.87	15.64

Salmon/Steelhead	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SA1025-MHX	12.92	12.70	12.56	12.48	12.21	12.07	11.88	11.62	11.44	11.22	11.04	10.83	10.59
SA1085-MHX	14.18	13.93	13.76	13.55	13.34	13.13	12.94	12.72	12.51	12.36	12.18	11.93	11.74
SA1086F-MHX	15.77	15.55	15.25	15.06	14.82	14.65	14.50	14.09	13.87	13.72	13.51	13.23	12.99
ST1022-MHX	11.43	11.26	11.18	11.09	10.93	10.60	10.45	10.27	10.01	9.81	9.63	9.38	9.20
ST1023F-MHX	12.26	12.03	11.81	11.63	11.44	11.22	10.91	10.78	10.54	10.34	10.15	9.85	9.61
ST1023-MHX	12.26	12.03	11.87	11.62	11.49	11.30	11.12	10.85	10.66	10.52	10.22	9.93	9.70
ST1024F-MHX	13.91	13.71	13.60	13.36	13.05	12.70	12.55	12.25	12.05	11.74	11.48	11.12	10.85
ST1025-MHX	13.40	13.21	12.96	12.75	12.48	12.27	12.06	11.91	11.70	11.50	11.29	11.05	10.82
ST1025-W-MHX	13.50	13.17	13.03	12.87	12.67	12.45	12.25	12.00	11.73	11.53	11.27	11.14	10.92
ST1081-MHX	11.46	11.30	11.09	10.93	10.78	10.54	10.42	10.13	9.95	9.73	9.50	9.27	9.15
ST1083F-MHX	11.61	11.61	11.61	11.54	11.54	11.42	11.26	11.20	11.20	11.12	10.91	10.73	10.46

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Salmon/Steelhead	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
ST1084F-MHX	14.75	14.36	14.41	14.20	13.84	13.47	13.26	12.99	12.67	12.43	12.14	11.84	11.60
ST1141-MHX	11.22	11.12	11.12	10.88	10.78	10.40	10.35	10.31	10.16	10.03	9.91	9.69	9.54
ST1142-MHX	11.52	11.34	11.17	11.08	10.85	10.67	10.47	10.31	10.13	10.00	9.86	9.72	9.52
ST1143-MHX	12.11	11.93	11.81	11.68	11.50	11.31	11.14	10.99	10.82	10.65	10.52	10.42	10.20
ST1144F-MHX	15.90	15.70	15.66	15.30	15.04	14.75	14.45	14.26	14.01	13.88	13.59	13.27	13.20
ST1203-MHX	12.41	12.34	12.24	12.18	12.13	11.98	11.91	11.83	11.71	11.55	11.34	11.15	10.96
ST1204F-MHX	16.46	16.30	16.10	15.85	15.48	15.40	14.97	14.65	14.40	14.27	14.04	13.75	13.48
ST1262-MHX	12.11	12.00	12.13	12.09	11.95	11.88	11.70	11.65	11.54	11.53	11.40	11.19	10.96
ST1263-MHX	12.5	12.42	12.16	12.08	11.97	11.93	11.68	11.64	11.47	10.49	11.23	11.21	10.84
ST1355-MHX	17.13	16.99	16.66	16.35	16.03	15.76	15.56	15.20	14.86	14.61	14.25	13.92	13.67
ST1442-MHX	10.88	10.81	10.81	10.63	10.52	10.40	10.24	10.18	10.05	9.95	9.89	9.70	9.58
ST1562-MHX	12.25	12.06	12.06	12.03	11.86	11.68	11.62	11.36	11.31	11.18	11.07	10.93	10.70
ST1563-3-MHX	11.93	11.82	11.52	11.48	11.2	11.18	11.18	10.89	10.88	10.88	10.79	10.65	10.65
ST1682-MHX	13.99	13.90	13.83	13.60	13.37	13.33	13.26	13.01	12.90	12.75	12.61	12.50	12.32

Saltwater Series	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SW60H-MHX	14.05	13.91	13.86	13.75	13.61	13.49	13.4	13.24	13.04	12.85	12.4		
SW66H-MHX	18.57	18.4	18.3	18.25	17.78	17.42	16.97	16.57	16.19	15.76	15.35		
SW66XH-MHX	18.58	18.4	18.32	18.25	17.87	17.47	17.08	16.66	16.24	15.89	15.42		
SW70ML-MHX	14.69	14.31	14.12	13.84	13.63	13.45	13.28	13.06	12.83	12.51	12.34		
SW70M-MHX	15.24	15.1	14.92	14.78	14.44	14.17	13.84	13.65	13.4	13.16	12.94		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Saltwater Series	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SW70MH-MHX	14.74	14.82	14.79	14.86	14.76	14.67	14.59	14.39	14.36	14.30	14.12		
SW70H-MHX	15.30	15.12	15.09	15.00	14.93	14.76	14.62	14.56	14.44	14.34	14.27		
SW70XH-MHX	19.11	19.04	18.89	18.65	18.45	18.35	18.13	17.14	17.53	17.11	16.64		
SW70XXH-MHX	19.77	19.67	19.54	19.47	19.19	19.07	19.01	18.70	18.27	17.96	17.67		
SW76ML-MHX	15.55	15.26	15.14	14.91	14.53	14.31	14.12	13.95	13.67	13.33	13.09		
SW76MXF-MHX	15.61	15.82	15.82	15.30	15.15	14.79	14.52	14.20	13.91	13.67	13.44		
SW76MH-MHX	18.40	18.46	18.35	18.33	18.21	18.09	17.75	17.81	17.77	17.52	17.15		
SW76H-MHX	19.09	19.07	18.97	18.85	18.80	18.61	18.47	18.29	18.21	18.18	17.70		
SW80L-MHX	15.87	15.49	15.27	15.03	14.83	14.66	14.41	14.26	13.98	13.79	13.53		
SW80M-MHX	16.75	16.59	16.38	16.17	15.89	15.43	15.14	14.90	14.75	14.59	14.36		
SW80ML-MHX	15.88	15.69	15.55	15.31	15.20	14.92	14.70	14.55	14.25	14.06	13.98		
SW80HXF-MHX	17.57	17.79	17.44	17.17	16.90	16.55	16.35	16.12	15.63	15.57	15.32		

S-Glass Spin/Cast	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SSP843-MHX	16.10	15.99	15.88	15.74	15.46	15.08	14.66	14.30	13.97	13.57	13.27		
SSP844-MHX	16.54	16.44	16.13	15.81	15.67	15.27	14.93	14.70	14.31	13.86	13.48		
SSP845-MHX	16.96	16.75	16.70	16.53	16.20	15.96	15.55	15.07	14.72	14.42	14.05		
SSP846-MHX	17.43	17.07	16.91	16.91	16.83	16.54	16.15	15.70	15.29	14.90	14.56		
SSP903-MHX	17.11	16.79	16.44	16.17	15.88	15.54	15.21	14.81	14.34	14.02	13.56		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Spin Jig	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SJ720-MHX	9.98	9.68	9.57	9.22	8.98	8.75	8.51	8.25	8.02	7.77	7.52		
SJ781-MHX	11.20	11.09	10.97	10.75	10.39	10.17	9.89	9.62	9.35	9.09	8.79		
HM-SJ781-MHX	10.91	10.70	10.50	10.30	10.10	9.87	9.63	9.42	9.21	8.96	8.71		
SJ782-MHX	11.81	11.53	11.29	10.99	10.74	10.51	10.19	9.94	9.65	9.35	9.05		
SJ782-2-MHX	11.19	11.07	11.05	10.85	10.72	10.58	10.25	9.93	9.65	9.39	8.96		
SJ782-COLOR-MHX	11.93	11.62	11.38	11.18	10.90	10.63	10.34	10.09	9.79	9.44	9.24		
HM-SJ782-MHX	11.14	11.05	11.81	11.16	10.46	10.26	10.05	9.86	9.59	9.25	9.11		
SJ783-MHX	13.66	13.45	13.26	12.91	12.51	12.14	11.80	11.45	11.10	10.76	10.43		
SJ783-2-MHX	12.45	12.43	12.40	12.36	12.18	12.16	11.82	11.47	11.14	10.88	10.57		
HM-SJ783-MHX	12.86	12.86	12.65	12.35	12.12	11.82	11.55	11.30	11.06	10.75	10.64		
SJ812-MHX	12.00	11.72	11.58	11.33	11.12	10.87	10.63	10.34	10.18	9.88	9.55		
SJ812-W-MHX	12.21	12.02	11.71	11.39	11.20	10.99	10.71	10.45	10.22	10.01	9.70		
HM-SJ812-MHX	11.27	11.09	10.85	10.62	10.47	10.23	10.02	9.78	9.56	9.34	9.20		
SJ813-MHX	14.02	13.98	13.82	13.66	13.32	12.98	12.62	12.34	11.97	11.61	11.28		
SJ813-W-MHX	14.03	13.96	13.94	13.70	13.31	13.02	12.64	12.32	12.00	11.61	11.27		
HM-SJ813-MHX	13.63	13.63	13.65	13.56	13.22	12.88	12.48	12.14	11.88	11.42	11.09		
SJ833-MHX	13.49	13.48	13.44	13.44	13.16	12.75	12.40	12.06	11.70	11.40	10.95		
SJ841-MHX	12.16	11.84	11.76	11.40	11.14	10.90	10.68	10.41	10.15	9.83	9.62		
HM-SJ841-MHX	11.38	11.27	10.98	10.80	10.62	10.51	10.34	10.29	10.15	9.87	9.70		
SJ842-MHX	13.41	13.41	13.53	13.39	13.23	12.86	12.52	12.18	11.80	11.45	11.15		
SJ842-2-MHX	12.62	12.45	12.43	12.37	12.36	12.26	12.18	12.00	11.74	11.32	10.96		
SJ842-COLOR-MHX	13.79	13.70	13.57	13.57	13.57	13.28	12.89	12.50	12.21	11.88	11.57		
HM-SJ842-MHX	12.55	12.76	12.51	12.50	12.45	12.30	12.23	12.02	11.68	11.40	11.02		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Spin Jig	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SJ843-MHX	13.71	13.61	13.68	13.68	13.58	13.32	13.02	12.67	12.31	11.87	11.61		
SJ843-2-MHX	13.96	13.73	13.38	13.13	12.80	12.47	12.21	12.00	11.75	11.46	11.18		
SJ843-W-MHX	14.05	14.05	14.02	14	13.91	13.74	13.31	13.07	12.65	12.35	11.92		
HM-SJ843-MHX	13.32	13.4	13.36	13.34	13.3	13.22	13.12	12.79	12.51	12.21	11.93		
SJ8600-MHX	12.50	12.24	12.06	11.61	11.28	10.97	10.65	10.37	10.14	9.89	9.63		
HM-SJ871-MHX	12.04	12.02	11.8	11.63	11.52	11.38	11.26	11.19	11.01	10.83	10.55		
HM-SJ872-MHX	12.49	12.49	12.35	12.19	12.04	11.87	11.73	11.53	11.43	11.08	10.77		
SJ902-MHX	13.79	13.61	13.61	13.61	13.57	13.52	13.45	13.4	13.1	12.68	12.37		
SJ903-MHX	14.21	14.21	13.98	13.98	13.96	13.93	13.82	13.76	13.37	13.05	12.76		
SJ9000-MHX	12.86	12.53	12.33	12.03	11.80	11.55	11.22	10.84	10.46	10.15	9.92		
SJ9000-2-MHX	12.06	11.87	11.70	11.44	11.00	10.85	10.48	10.21	9.92	9.55	9.20		

Spinner Bait	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SB811-Blend	12.63	12.34	12.12	11.84	11.57	11.32	11.02	10.77	10.45	10.25	9.91		
SB812-Blend	13.95	13.84	13.62	13.27	12.86	12.57	12.25	11.77	11.53	11.18	10.75		
SB812-W-Blend	12.72	12.94	12.8	12.65	12.52	12.45	12.38	12.14	11.83	11.48	11.21		
HM-SB812-MHX	14.08	13.99	13.63	13.29	12.93	12.59	12.23	11.92	11.55	11.2	10.91		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Spinning	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
S6010-MHX	6.35	6.12	6.09	5.99	5.70	5.57	5.37	5.25	4.97	4.75	4.60		
S660-MHX	6.48	6.44	6.32	6.18	6.12	6.03	5.85	5.69	5.50	5.33	5.10		
S661-MHX	7.16	6.96	6.80	6.59	6.41	6.25	6.07	5.75	5.71	5.53	5.37		
S661-2-MHX	7.27	7.15	6.96	6.78	6.63	6.46	6.27	6.07	5.84	5.69	5.50		
S720-MHX	6.79	6.79	6.71	6.61	6.54	6.46	6.29	6.21	6.13	5.96	5.71		
S721-MHX	7.52	7.37	7.27	6.14	6.96	6.76	6.57	6.36	6.20	6.00	5.80		
S721-2-MHX	7.56	7.45	7.31	7.11	6.95	6.79	6.61	6.43	6.25	6.06	5.87		
S781-MHX	7.99	7.77	7.64	7.50	7.29	7.09	6.90	6.79	6.59	6.40	6.23		
S781-2-MHX	7.90	7.81	7.77	7.60	7.46	7.30	7.13	6.96	6.79	6.62	6.43		
S781-W-MHX	7.95	7.91	7.6	7.42	7.27	7.08	6.95	6.84	6.68	6.49	6.32		
S782-MHX	8.40	8.30	8.22	8.01	7.83	7.67	7.47	7.30	7.16	6.99	6.81		
S782-2-MHX	8.50	8.24	8.11	7.95	7.79	7.65	7.48	7.27	7.10	6.42	6.77		
S841-MHX	8.36	8.22	8.01	7.94	7.74	7.65	7.52	7.36	7.24	7.08	6.88		
S842-MHX	10.41	10.32	10.02	9.85	9.61	9.35	9.16	9.01	8.89	8.60	8.37		
S842-2-MHX	8.54	8.43	8.30	8.15	8.02	7.83	7.71	7.58	7.44	7.24	7.08		
S842-W-MHX													
S842-2-W-MHX	8.56	8.46	8.28	8.17	7.98	7.88	7.72	7.58	7.39	7.27	7.13		
S871-2-MHX	8.87	8.66	8.52	8.33	8.19	7.99	7.82	7.70	7.58	7.40	7.27		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Surf	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SU965F-MHX	15.26	14.89	14.78	14.47	14.10	13.92	13.84	13.53	13.13	12.98	12.74	12.48	12.16
SU1085F-MHX	16.61	16.41	16.34	16.17	15.84	15.59	15.31	15.03	14.78	14.61	14.30	14.80	13.86
SU1085F-2-MHX	15.10	14.95	14.93	14.81	14.76	14.66	14.60	14.53	14.44	14.40	14.32	14.14	13.87
SU1087F-MHX	16.90	16.75	16.52	16.24	16.13	15.85	15.57	15.38	15.13	14.79	14.54	14.23	13.97
SU1087F-2-MHX	15.33	15.30	15.27	15.17	15.09	15.05	15.03	14.88	14.80	14.67	14.58	14.45	14.35
SU1088F-MHX	17.31	17.11	16.84	16.60	16.30	16.04	15.77	15.55	15.18	14.93	14.63	14.35	14.08
SU1088F-2-MHX	16.18	16.09	16.09	15.98	15.96	15.90	15.88	15.77	15.67	15.62	15.51	15.43	15.17
SU1089F-MHX	17.42	17.26	17.01	16.78	16.47	16.28	16.05	15.72	15.44	15.15	14.87	14.55	14.21
SU1207F-2-MHX	17.15	17.10	17.07	17.01	17.01	16.93	16.84	16.67	16.63	16.56	16.46	16.33	16.12
SU1208F-2-MHX	19.73	19.53	19.34	19.06	18.80	18.50	18.29	18.04	17.76	17.47	17.22	16.96	16.68
SU1209F-2-MHX	20.22	19.99	19.64	19.40	19.12	18.90	18.63	18.43	18.19	17.93	17.64	17.42	17.08

Swimbait	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
SWB956-Blend	15.10	14.85	14.62	14.39	14.12	13.86	13.66	13.35	13.13	12.86	12.65	12.40	12.17
SWB956-W-Blend													
SWB967-Blend	16.98	16.82	16.53	16.28	16.03	15.72	15.5	15.21	14.85	14.48	14.15	13.91	13.68

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



Travel - FW Series	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
TFW721-3-MHX	7.60	7.39	7.19	6.94	6.74	6.57	6.35	6.15	5.92	5.63	5.49		
TFW781-3-MHX	9.33	9.16	8.85	8.58	8.34	8.12	7.89	7.63	7.36	7.13	6.90		
TFW782-3-MHX	12.36	12.06	11.76	11.38	11.11	10.79	10.46	10.11	9.80	9.44	9.05		
TFW841-3-MHX	8.65	8.39	8.22	8.01	7.84	7.64	7.50	7.30	7.18	6.95	6.76		
TFW842-3-MHX	10.09	9.90	9.70	9.48	9.23	9.04	8.79	8.54	8.31	8.11	7.88		

Travel - Original	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
TR842-3-MHX	13.04	13.04	13.03	12.98	12.93	12.81	12.46	12.13	11.81	11.45	11.17		
TR843-3-MHX	13.11	13.11	13.09	13.10	13.06	13.04	12.80	12.54	12.22	11.84	11.52		
TR844-3-MHX	13.90	13.64	13.36	13.12	12.85	12.53	12.26	11.96	11.65	11.35	11.14		
TR844.5-3-MHX	13.97	13.74	13.39	13.17	12.84	12.54	12.25	11.94	11.71	11.44	11.23		
TR845-3-MHX	15.64	15.45	15.36	15.14	14.88	14.70	14.54	14.31	14.16	13.96	13.67		
TR846-3-MHX	17.06	16.99	17.00	16.86	16.54	16.12	15.71	15.28	14.80	14.33	13.75		
TR902-3-MHX	14.73	14.46	14.11	13.80	13.46	13.12	12.82	12.47	12.17	11.83	11.52		
TR903-3-MHX	15.02	14.72	14.42	14.19	13.90	13.60	13.30	12.99	12.66	12.34	12.10		
TR904-3-MHX	15.12	14.76	14.49	14.21	13.90	13.58	13.29	12.99	12.63	12.34	12.04		
TR905-3-MHX	18.83	18.75	18.69	18.44	18.08	17.56	17.09	16.59	16.11	15.66	15.20		
TR906-3-MHX	17.59	17.59	17.47	17.44	17.42	17.31	17.21	16.83	16.36	15.89	15.35		

MHX Dimensions for Exposed Reel Seats and Winding Checks

All measurements in millimeters (mm) from butt to tip



X-Glass	Butt OD	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
CCB834-MHX	14.85	14.60	14.29	14.04	13.73	13.37	13.05	12.81	12.53	12.35	11.94		
CCB865-MHX	17.34	17.19	17.10	17.00	16.90	16.78	16.67	16.54	16.08	15.65	15.26		