

## COMPOSITE GRAPHITE/ "E" GLASS/BORON SLATWATER ROD BLANKS

A composite of E-Glass fiberglass and uni-directional 30 million modulus graphite make these the newest and lightest saltwater blanks available. SEEKER™ has done extensive research on mandrel and pattern design to offer the ultimate in a composite blank. SEEKER'S™ resin system, E-Glass and graphite are combined so that there are alternation layers in both materials in the butt section on the blank. SEEKER'S™ unique use of E-Glass provides unequalled durability and strength throughout the length of the blank while the unidirectional graphite adds stiffness for hook setting and fish fighting power at a 30% to 40% weight savings in the blank! Available in a honey gold color that transitions to natural graphite charcoal color in the butt. Also available in jet black E-Glass that transitions to natural graphite charcoal color in the butt. All blanks are one piece unless otherwise noted.



*The fish bit early in the morning. I was using a sardine with a circle hook straight tied to 80 lbs. line. Not a good choice of line for Clipperton. Most were using 100-200 lbs. line. The rod I was using was a Seeker SC 6455XXH 5-1/2 AR. I did not wear a pad or a harness as I saw the pros on the boat used the rail. This was a tough fight that lasted 1 hour and 15 minutes. I had that rod bending like a horse shoe, put - ting extreme pressure on the fish. The Seeker rod handled it all, no problem. I saw the crew finish many fish for pas - sengers, but I am glad to say, I landed all of mine.*

*Back at the landing the fish weighed 301.2 lbs. Not bad for my third trip. My experience at Clipperton, I will not soon forget.*

*I have seven Seeker rods in my collection and they have never let me down. I use them for everything; from alba - core up to 300 lbs. yellowfin.*

Dan Manelli

### LIVE BAIT ROD BLANKS

MODELNO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
CLB602	6'2"	8 (10) 20	Fast	6	.620
CLB702	7'0"	8 (10) 20	Fast	6	.700
CLB604	6'0"	10 (15) 25	Fast	6½	.640
CLB606	6'0"	12 (20) 30	Fast	7	.680
CLB704	7'0"	10 (15) 25	Fast	6½	.735
CLB706	7'0"	12 (20) 30	Fast	7	.765
CLB708	7'0"	15 (25) 40	Fast	8	.780
CLB804	8'0"	10 (15) 25	Fast	6½	.770
CLB 806	8'0"	12 (20) 30	Fast	7	.775
CLB806H	8'0"	15 (25) 40	Fast	8'	.780

### JIG STYLE ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
CJB60XF	6'0"	15 (20) 40	Fast	6½	.740
CJB60	6'0"	20 (30) 40	Fast	9	.740
CJB65F	6'6"	15 (20) 40	Fast	7	.790
CJB65	6'6"	20 (30) 50	Fast	9	.775
CJB65H	6'6"	30 (40) 80	Fast	10	.855
CJB70F	7'0"	15 (20) 40	Fast	7	.815
CJB70	7'0"	20 (30) 50	Fast	9	.790
CJB70H	7'0"	30 (40) 80	Fast	10	.875
CJB80F	8'0"	15 (20) 40	Fast	7	.990
CJB80H	8'0"	30 (40) 80	Fast	10	.920

### FAST TAPER JIG & BAIT ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
CJBF60	6'0"	20 (30) 50		8	.995
CJBF65	6'6"	20 (30) 50		8	1.015
CJBF65MH	6'6"	30 (40) 50			
CJBF65H	6'6"	30 (50) 80		10	.990
CLBF708	7'0"	20 (25) 30			
CJBF70	7'0"	20 (40) 50		9	1.080
CJBF70M	7'0"	30 (35) 40			
CJBF70H	7'0"	40 (50) 60			
CJBF80	8'0"	20 (30) 50		9	1.145
CJBF80H	8'0"	40 (50) 60			
CJBF85	8'6"	20 (30) 50		9	.990

### TUNA ROD BLANKS

MODELNO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
CTS55H	5'6"	30 (40) 80		10	.830
CTS55XH	5'6"	40 (50) 100		12	.825
CTS60H	6'0"	30 (40) 80		10	.830
CTS60XH	6'0"	40 (50) 100		12	.855

### FAST TAPER TUNA ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
CTSF50XXH	5'0"	60 (80) 100			
CTSF55XH	5'6"	50 (60) 80			
CTSF55XXH	5'6"	50 (80) 130		14	1.000
CTSF60XH	6'0"	50 (60) 80			
CTSF60XXH	6'0"	50 (80) 130		14	1.060
CTSF63XXH	6'3"	50 (80) 130		14	1.100

### MEDIUM ACTION LIVE BAIT & JIG ROD BLANKS

MODELNO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
CSB807	8'0"	20 (25) 30		9	.785
CSB907	9'0"	20 (25) 30		9	.860
CSB909	9'0"	25 (30) 50		10	.940
CSJ90	9'0"	20 (25) 30		8	.940
CSJ100	10'0"	20 (25) 40		8	.970

### BASS CASTING & SPINNING ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
CBS705	7'0"	8 (10) 15	¾ - ¾	5	.575
CBS706	7'0"	8 (12) 20	½ - 1	5½	.580
CBS707	7'0"	10 (12) 25	¾ - 1½	5½	.585

### INSHORE ROD BLANKS

MODELNO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
CBW598	5'9"	15 (20) 25	¾ - 1½	7	.730
CBW658	6'6"	15 (20) 25	½ - 2	7	.800
CSW705	7'0"	8 (10) 15	¾ - ¾	6	.640
CSW706	7'0"	10 (12) 17	½ - 1	6½	.665
CSW708	7'0"	12 (15) 20	¾ - 1½	7	.680
CBW709	7'0"	20 (25) 30	1-3	8	.800
CBW809	8'0"	20 (25) 30			
CSW857	8'6"	10 (15) 17			
CSW858	8'6"	12 (15) 20	¾ - 2½	7	.820

### BRITISH STYLE SURF CASTING ROD BLANKS

MODELNO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
CSU100	10'0"	12 (15) 25	1-3 oz.	6½	.965
CSU110	11'0"	12 (20) 30	2-4 oz.	6½	.965
CSU115	11'6"	15 (25) 40	5-8 oz.	9	.945
CSU120	12'0"	15 (25) 40	5-8 oz.	9	.945
CSU125	12'6"	15 (25) 40	5-8 oz.	9	.945
CSU130	13'0"	15 (25) 40			



World Record Junior Albacore caught by JOHN SMITH ON A SEEKER

## PREMIUM QUALITY "E" GLASS/BORON SLATWATER ROD BLANKS

The hottest new blanks from Southern California - developed by a group of experts. Manufactured in a modern facility utilizing speciality built equipment, tooling, and materials and located in the heart of Southern California. We at SEEKER™ are confident that our blanks will exceed all of your expectations, for quality, durability, finish and performance. All blanks are one-piece unless otherwise specified. All blanks are available in black or gold.

### FAST ACTION LIVE BAIT ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
LB602	6'0"	8 (12) 20		6	.710
LB604	6'0"	10 (15) 25		6½	.785
LB606	6'0"	12 (20) 30		7	.805
LB658	6'6"	15 (25) 40		8	.865
LB7000	7'0"	8 (10) 15		5½	.680
LB701	7'0"	8 (10) 15		6	.785
LB702	7'0"	8 (12) 20		6	.830
LB704	7'0"	10 (15) 25		6½	.900
LB705M	7'0"	10 (15) 25		7	.890
LB706	7'0"	12 (20) 30		7	.930
LB708	7'0"	15 (25) 40		8	.955
LB79	7'9"	10 (15) 25		7	.940
LB799	7'9"	20 (30) 50		8	.980
LB803M	8'0"	8 (12) 20		6	.845
LB804	8'0"	10 (15) 25		6½	.965
PT80	8'0"	10 (15) 25		7	.890
LB806	8'0"	12 (20) 30		7	.980
LB806H	8'0"	15 (25) 40		8	.995
LB855	8'6"	10 (15) 25		6	.970
LB90	9'0"	15 (25) 40		8	.970
LB100	10'0"	15 (25) 40		8	1.070

### FAST TIP JIG & HEAVY BAIT ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
JB60XF	6'0"	15 (20) 40		6½	.940
JB65F	6'6"	15 (20) 40		7	.925
JB70F	7'0"	20 (25) 40		7	.975
JB75F	7'6"	20 (25) 40		7	1.000

### JIG & HEAVY BAIT ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
JB60L	6'0"	20 (25) 40		9	.805
JB60	6'0"	20 (30) 50		9	.870
JB65L	6'6"	20 (25) 40		9	.855
JB65	6'6"	20 (30) 50		9	.950
JB65H	6'6"	30 (40) 80		10	.990
JB65XH	6'6"	40 (60) 100		11	.995
JB70L	7'0"	20 (25) 40		9	.920
JB70	7'0"	20 (30) 50		9	.975
JB70H	7'0"	30 (40) 80		10	1.015
JB80	8'0"	20 (30) 50		9	.930
JB80H	8'0"	30 (40) 80		10	1.080
JB80XH	8'0"	40 (60) 100		12	1.045

### FAST TAPER JIG & HEAVY BAIT ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
JBF60L	6'0"	20 (25) 40		9	.935
JBF60	6'0"	20 (30) 50		9	.950
JBF65L	6'6"	20 (25) 40		9	.965
JBF65	6'6"	20 (30) 50		9	1.060
JBF65H	6'6"	30 (40) 80		10	1.090
JBF80	8'0"	20 (30) 50		10	1.210
SS65XF	6'6"	30 (40) 80		8	1.085

### LONG RANGE STAND-UP TUNA ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
TS55	5'6"	20 (30) 50		9	.885
TS55H	5'6"	30 (40) 80		10	.900
TS55XH	5'6"	40 (60) 100		12	.930
TS55XXH	5'6"	50 (80) 130		14	.950
TS59XXXH	5'9"	60 (100) 150		16	1.050
TS60H	6'0"	30 (40) 80		10	.895
TS60XH	6'0"	40 (60) 100		12	.970
TS65XXH	6'0"	50 (80) 130		14	1.000

### FAST TAPER STAND-UP TUNA ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
TSF55XL	5'6"	15 (20) 30		9	.800
TSF55L	5'6"	20 (25) 40		9	.935
TSF55	5'6"	20 (30) 50		9	.990
TSF55H	5'6"	30 (40) 80		10	.975
TSF55XH	5'6"	40 (60) 100		12	1.030
TSF55XXH	5'6"	50 (80) 130		14	.995
TSF60H	6'0"	30 (40) 80		10	.990
TSF60XH	6'0"	40 (60) 100		12	1.090
TSF60XXH	6'0"	50 (80) 130		14	1.055

### MEDIUM ACTION LIVE BAIT & JIG ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
SB803	8'0"	10 (12) 15		6½	.830
SB805	8'0"	15 (20) 25		7	.855
SB806	8'0"	15 (20) 30		7	.900
SB807	8'0"	20 (25) 30		9	.965
SB903	9'0"	12 (15) 20		6½	.860
SB906	8'0"	15 (20) 30		7	.930
SB907	9'0"	20 (25) 30		9	.970
SB908	9'0"	25 (30) 40		9	1.015
SB909	9'0"	30 (40) 50		10	1.015

### JIG BAIT & SURF ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
SJ85	8'6"	20 (25) 30		8	1.160
SJ90	9'0"	20 (25) 30		8	1.200
SJ90F	9'0"	20 (30) 50		8	1.240
ULUA93H	9'3"	30 (40) 60		14	1.315
SJ100L	10'0"	20 (25) 30			
SJ100	10'0"	20 (30) 40		8	1.355
SJ100H	10'0"	40 (50) 60		9	1.375
SJ100XH	10'0"	40 (60) 80			
ULUA100	10'0"	20 (30) 40		8	1.330
SJ/ULUAEXT.	Adds 5'		Removable or glue-in extension		

### ONE PIECE SURF ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
SU1153M	11'6"	15 (20) 30	3-6 oz.	12	1.060
SU153	11'6"	15 (20) 30	3-6 oz.	13	1.140
SU1154M	11'6"	20 (25) 30	4-8 oz.	12	1.105
SU1155	11'6"	20 (30) 40	6-10 oz.	14	1.165

**"E" GLASS/BORON SLATWATER ROD BLANKS cont.****TWO-PIECE SURF ROD BLANKS**

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
SU80	8'0"	12 (15) 20	1-3 oz.	6½	.900
SU90	9'0"	12 (15) 20	1-4 oz.	6½	.960
SU100L	10'0"	12 (15) 20	2-4 oz.	7	1.055
SU105H	10'6"	20 (30) 40	4-8 oz.	14	1.205
SU120	12'0"	15 (20) 30	3-6 oz.	7	1.270
SU150	15'0"	15 (25) 40	4-8 oz.	7	1.580

**BREAKWATER BASS ROD BLANKS**

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
BW607XF	6'0"	12 (15) 20		6	.770
BW639XF	6'3"	20 (25) 30		7	.895

*Extremely fast tapers with lots of power. Excellent for Tarpon and Snook.*

**EAST COAST AND GULF COAST PLUG AND SPINNING ROD BLANKS**

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
PS72	7'2"	10 (15) 20		7	.700
PS78	7'8"	12 (20) 30		7	.780
PS80	8'0"	15 (20) 25		6	.815
PS85	8'6"	20 (25) 40		8	.985
PS90	9'0"	15 (20) 25		6	1.076
PS100	10'0"	20 (25) 40		8	1.245

**ROCK COD AND GAFF BLANKS**

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
RC70	7'0"	40 (80) 100		20	.940
RC75	8'0"	40 (80) 100		20	.970
4FT. GAFF	4'0"			30 (¼ I.D.)	.765
6FT. GAFF	6'0"			30 (¼ I.D.)	.930
8FT. GAFF	8'0"			30 (¼ I.D.)	1.050

**REGULATION TROLLING ROD BLANKS - WEST COAST STYLE**

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
R12	5'6"	12lb. Class		10	.745
R20	5'6"	20lb. Class		12	.745
R30	5'6"	30lb. Class		14	.745
R50	5'6"	50lb. Class		16	.870
R80	5'6"	80lb. Class		24	.995
R130	5'6"	130lb. Class		30	1.180

**ONE-PIECE BOAT & TROLLING ROD BLANKS**

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
BT20	7'0"	18 (20) 25		10	.850
BT30	7'0"	25 (30) 40		14	.905
BT50	7'0"	40 (50) 60		16	.995
R20LG	7'0"	20		12	.890
R30LG	7'0"	30		14	.925

*All of the One-Piece Boat & Trolling Rod Blanks are available in a White Finish at an Additional Cost*

**MARLIN LIVE BAIT ROD BLANKS**

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
MLB16	7'0"	16		9	.820
MLB20	7'0"	20		9	.890
MLB30	7'0"	30		9	.905
MLB50	7'0"	50		9	.930
MLB30H	7'3"	30		10	.900

**I.G.F.A. TROLLING ROD BLANKS**

Available in black or white paint finish, a heavy duty trolling rod blank for the finest custom trolling rods. Designed especially for East Coast, Gulf Coast, Hawaii and Australia. Designed for standard AFTCO Uni-Butt ferrules. Up to 6" of the blank butt may be trimmed off without affecting the butt diameter. The blanks are smoothly polished and finished with several coats of white or black epoxy paint for an impeccable finish.

**I.G.F.A. TROLLING ROD BLANKS**

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
IGFA12	5'8"	12 lb.		11	.745
IGFA16	5'8"	16 lb.		12	.745
IGFA20	5'8"	20 lb.		13	.745
IGFA30	5'8"	30 lb.		16	.745
IGFA30H	5'8"	30 lb.		16	.745
IGFA50	5'8"	50 lb.		17	.870
IGFA50H	5'8"	50 lb.		17	.870
IGFA80 "Stubie"	3'7"	80 lb.		23	.995
IGFA80	5'9"	80 lb.		23	.995
IGFA80H	5'9"	80 lb.		23	.995
IGFA130	5'10"	130 lb.		29	1.180
IGFA180	6'6"	180 lb.		23	1.180
IGFA80H	6'6"	Unlimited		23	1.315

**ONE-PIECE FULL LENGTH I.G.F.A. ROD BLANKS**

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
IGFA12LG	7'0"	12 lb.		11	.850
IGFA16LG	7'0"	16 lb.		12	.870
IGFA20LG	7'0"	20 lb.		13	.880
IGFA30LG	7'0"	30 lb.		16	.930
IGFA50LG	7'0"	50 lb.		17	.970
IGFA80LG	6'6"	80 lb.		24	1.010



Bill Tinsley with a 268 lb. Yellowfin Tuna caught on a Seeker 6455XH 5¼ foot all-roller guide rod.

## FIBERGLASS "E" GLASS/BORON FRESHWATER & LIGHT SALTWATER ROD BLANKS

A versatile line of freshwater and light saltwater blanks. These blanks feature special thin-wall designs and high-density lamination process that reduces rod weight and increases performance. Available with one-piece blanks also available in godl. Two-piece models feature our TRANSFLEX™ ferrule, that produces a smooth power-transition between the tip and butt sections of the blank. This gives our two-piece blanks the strength and feel on a one-piece rod!

### ONE-PIECE FRESHWATER SPINNING ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
SP551-1	5'0"	2 (2) 4	1/16 - 1/4	5 1/2	.370
SP550-1	5'6"	1 (2) 4	1/32 - 3/16	4 1/2	.465
SP601-1	6'0"	2 (4) 6	1/16 - 1/4	5 1/2	.420
SP652-1	6'6"	2 (4) 8	1/8 - 3/8	5 1/2	.610
SP702-1	7'0"	2 (4) 8	1/8 - 3/8	6	.430
SP703-1	7'0"	4 (6) 10	1/4 - 5/8	5 1/2	.680
SP704-1	7'0"	6 (8) 12	1/4 - 5/8	5	.685
SP753-1	7'6"	4 (6) 10	1/4 - 1/2	5 1/2	.725

### TWO-PIECE FRESHWATER SPINNING ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
SP551	5'6"	2 (4) 6	1/8 - 5/16	5	.500
SP601	6'0"	2 (4) 6	1/8 - 5/16	5 1/2	.540
SP602	6'0"	2 (4) 8	1/8 - 3/8	5	.490
SP603	6'0"	4 (6) 10	1/4 - 1/2	5	.550
SP604	6'0"	6 (8) 12	1/4 - 5/8	5	.640
SP652	6'0"	2 (4) 8	1/8 - 3/8	5	.535
SP653	6'6"	4 (6) 10	1/4 - 1/2	5	.590
SP654	6'6"	6 (8) 12	1/4 - 5/8	5 1/2	.635
SP700	7'0"	1 (2) 4	1/32 - 3/16	4 1/2	.465
SP703	7'0"	4 (6) 10	1/4 - 1/2	5	.640
SP704	7'0"	6 (8) 12	1/4 - 5/8	5 1/2	.660
SP753	7'6"	4 (6) 10	1/4 - 1/2	6	.665
SP754	7'6"	6 (8) 12	1/4 - 5/8	5 1/2	.790

### BASS SPINNING ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
BS552	5'6"	4 (6) 10	1/8 - 3/8	4 1/2	.605
BS553	5'6"	6 (8) 12	1/8 - 5/8	5	.610
BS591	5'9"	4 (6) 8	1/16 - 5/16	4 1/2	.535
BS604	6'0"	8 (10) 15	1/4 - 3/4	5	.655
BS665	6'6"	8 (10) 17	3/8 - 3/4	5	.705
BS701	7'0"	4 (6) 8	1/16 - 5/16	4 1/2	.630
BS705	7'0"	8 (10) 17	3/8 - 3/4	5	.765
BS706	7'0"	8 (12) 20	1/2 - 1	6	.775
BS756	7'6"	8 (12) 20	1/2 - 1	4 1/2	.845

### BASS CASTING ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
BC604	6'0"	6 (8) 15	3/8 - 1/2	5	.660
BC605	6'0"	8 (10) 17	1/4 - 3/4	5	.675
BS606	6'0"	8 (12) 20	3/8 - 1	5 1/2	.675
BC607	6'0"	10 (15) 25	3/8 - 1 1/4	5	.690
BC705	7'0"	8 (10) 20	1/4 - 3/4	5	.785
BS706	7'0"	10 (12) 20	3/8 - 1	5 1/2	.785

### BASS FLIPPING STICK ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
BF758	7'6"	12 (20) 30	3/8 - 2	7	.810
BF758X*	7'6"	12 (20) 30	3/8 - 2	7	.810

\*Two-Piece Blank

### MUSKY ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
MU606	6'0"	12 (20) 30	1 - 3	11	.810

### POPPING ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
P702	7'0"	6 (10) 12	1/4 - 1/2	5	.685
P704	7'0"	8 (12) 15	1/4 - 3/4	5 1/2	.685
P706	7'0"	10 (14) 20	1/2 - 1	6	.775
P708	7'0"	12 (15) 25	1 - 3	8	.825

### STEELHEAD, SALMON MOOCHING & DOWNRIGGER ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	LURE WGT.	TIP SIZE	BUTT SIZE
<b>STEELHEAD</b>					
SH792	7'9"	6 (12) 15	1/4 - 5/8	5	.720
SH804	8'0"	8 (15) 20	3/8 - 1	5	.810
SH832	8'3"	6 (12) 15	1/4 - 5/8	4 1/2	.775
SH851	8'6"	6 (10) 12	1/8 - 1/2	4 1/2	.705
SH854	8'6"	8 (15) 20	3/8 - 1	5	.865
SH904	9'0"	8 (15) 20	3/8 - 1	5	.910
SH1004	10'0"	8 (15) 20	3/8 - 1	5	1.000
SH1056	10'6"	10 (15) 20	3/8 - 1 1/2	7	.850

All of the above blanks are two-piece

### MODEL NO. LENGTH LINE SIZE LURE WGT. TIP SIZE BUTT SIZE

#### SALMON MOOCHING

SA853F	8'6"	10 (20) 25	5/8 - 1 1/2	5 1/2	.940
SA896F	8'9"	12 (20) 30	1 - 2 1/2	8	.920

All of the above blanks are two-piece

### MODEL NO. LENGTH LINE SIZE LURE WGT. TIP SIZE BUTT SIZE

#### DOWNRIGGER

SP702-1	7'0"	2 (6) 8			
DR822	8'2"	6 (12) 15	3/4 - 1	5	.795

All of the above blanks are two-piece



600# Black Marlin caught by angler Jane Howard aboard the Shogun

## CLASSIC SERIES "E" GLASS/BORON SALTWATER ROD BLANKS

### ONE-PIECE FRESHWATER SPINNING ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
110	6'0"	2 (4) 6		4½	.400
120-5½	5'6"	2 (4) 8		5	.560
130-6½	6'6"	4 (6) 10		5½	.665
130-7	7'0"	4 (6) 10		5½	.735
147	7'0"	6 (8) 12		6½	.830

### FAST ACTION LIVE BAIT ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
195-6	6'0"	8 (10) 20		6	.710
195H-6	6'0"	10 (12) 25		7	.710
196-6	6'0"	10 (15) 25		6½	.790
196H-6	6'0"	12 (15) 30		7	.820
196-7	7'0"	10 (15) 25		6½	.875
196L-8	8'0"	8 (12) 20		6	.950
196-8	8'0"	10 (15) 25		6½	.950
196H-8	8'0"	12 (20) 30		8	.960
210	7'6"	10 (15) 30		7	.850
220	8'6"	10 (15) 30		7	.915
229	9'0"	10 (15) 30		6	.815
270-6	6'0"	12 (20) 30		7	.800
270-7	7'0"	12 (20) 30		8	.925
270H-7	7'0"	15 (25) 40		8	.925
270-8	8'0"	12 (20) 30		7	.990
270H-8	8'0"	15 (25) 40		8	.995
865	6'6"	15 (25) 40		8	.920
X865 (Old Style)	6'6"	15 (25) 40		8	.920
865H	6'6"	20 (30) 50		9	.975
865XH	6'6"	25 (40) 60		10	1.020
870	7'0"	15 (25) 40		8	.960
970	7'0"	15 (25) 40		7	.975
6865	6'6"	15 (25) 40		8	.970
6870	7'0"	20 (30) 50		8	1.005

### FAST ACTION LIVE BAIT ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
660L	6'0"	20 (25) 40		8	.820
660	6'0"	20 (30) 50		9	.910
665L	6'6"	20 (25) 40		8	.855
665	6'6"	20 (30) 50		9	.910
665H	6'6"	30 (40) 80		10	1.025
665XH	6'6"	40 (60) 100		11	1.025
670L	7'0"	20 (25) 40		9	.915
670	7'0"	20 (30) 50		9	.970
670-8	8'0"	20 (30) 50		9	1.050
670-9	8'0"	20 (30) 50		9	1.115
670H	7'0"	30 (40) 80		10	1.045
670XH	7'0"	40 (60) 100		11	.990
670H-8	8'0"	30 (40) 80		10	1.100
690J	9'0"	15 (25) 40		9	1.015

### FAST TAPER JIG & BAIT ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
6460L	6'0"	20 (25) 40		8	.920
6460	6'0"	20 (30) 50		9	.990
6465L	6'6"	20 (25) 40		8	.965
6465	6'6"	20 (30) 50		9	1.035
6465H	6'6"	30 (40) 80		10	1.065
6470	7'0"	20 (30) 50		9	1.080
6480	8'0"	20 (30) 50		8	1.085

### LONG RANGE STAND-UP TUNA ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
655L	5'6"	20 (25) 40		8	.800
655	5'6"	20 (30) 50		9	.885
655H	5'6"	30 (40) 80		10	.900
655XH	5'6"	40 (60) 100		12	.990
655XXH	5'6"	50 (80) 130		14	.935
660H	6'0"	30 (40) 80		10	.990
660XXH	6'0"	50 (80) 130		14	.945

### FAST TAPE STAND-UP TUNA ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
6450XXH	5'0"	50 (80) 130		14	.965
6455L	5'6"	20 (25) 40		8	.900
6455	5'6"	20 (30) 50		9	.945
6455H	5'6"	30 (40) 80		10	.950
6455XH	5'6"	40 (60) 100		12	.965
6455XXH	5'6"	50 (80) 130		14	.990
6460H	5'6"	30 (40) 80		10	1.015
6460XH	5'6"	40 (60) 100		12	1.025
6460XXH	5'6"	50 (80) 130		14	1.050

### JIG/BAIT & SURF ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
585	8'6"	20 (30) 50		9	1.195
530	9'0"	15 (25) 40		9	.975
550	9'0"	20 (40) 80		9	.900
540	10'0"	20 (30) 50		9	1.310
540-EXT	5'0"				1.310
540-FERRULE	12"				

### ROCK COD ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
775-7	7'0"	50 (80) 100		18	.945
775-7½	7'6"	50 (80) 100		20	.970
775-8	8'0"	50 (80) 100		20	.990

### SPECIALITY ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
200	7'0"	10 (12) 20		7	.775
330	7'0"	15 (25) 40		12	.830
400	7'0"	10 (15) 30		7	.775
500	7'0"	20 (25) 30		8	.880
600	7'0"	25 (30) 60		8	1.020
610	7'0"	25 (30) 60		9	1.035
610H	7'0"	30 (40) 80		10	1.170
700	7'9"	15 (30) 50		10	.990
780	8'0"	30 (40) 80		10	1.120
800	8'0"	20 (40) 60		8	1.080
820	7'6"	15 (30) 50		8	1.025

### OLD STYLE HEAVY-WALL ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
HW75	7'6"	20 (30) 60		7	.890
HW83	8'3"	20 (30) 60		8	.915

### TROLLING ROD BLANKS

MODEL NO.	LENGTH	LINE SIZE	ACTION	TIP SIZE	BUTT SIZE
SM20	5'8"	20		12	.600
SM30	5'8"	30		14	.625
SM50	5'8"	50		16	.870
SM80	5'8"	80		20	.900
SM130	5'8"	130		26	1.005