

Micro Guide Specifications

Provided by Mud Hole Custom Tackle

American Tackle Guides

Part No.	Description	Ring ID (mm)	Ring Mat.	Foot Length (mm)	Foot Width (mm)	Frame Mat.	Wt. GM	Finish
NIRLMG-3	Titan Micro	2.1	Nanolite	6.14	1.58	Titanium	0.04	Titanium
NIRLMG-4	Titan Micro	2.44	Nanolite	7	1.52	Titanium	0.07	Titanium
NCRLMG-3	Nanolite Micro	2.11	Nanolite	6.32	1.4	316 SS	0.085	Chrome
NCRLMG-4	Nanolite Micro	2.63	Nanolite	6.25	1.56	316 SS	0.105	Chrome
NBRLMG-3	Nanolite Micro	2.11	Nanolite	6.32	1.4	316 SS	0.085	Black
NBRLMG-4	Nanolite Micro	2.63	Nanolite	6.25	1.56	316 SS	0.105	Black
DCRLMG-3	Duralite Micro	1.56	Duralite	6.78	1.4	316 SS	0.085	Chrome
DCRLMG-4	Duralite Micro	2.05	Duralite	7	1.53	316 SS	0.105	Chrome
DBRLMG-3	Duralite Micro	1.56	Duralite	6.78	1.4	316 SS	0.085	Black
DBRLMG-4	Duralite Micro	2.05	Duralite	7	1.53	316 SS	0.105	Black
DCRLXMG-3	HD Micro	1.9	Duralite	7.25	2.46	316 SS	0.285	Chrome
DCRLXMG-4	HD Micro	2.33	Duralite	8.29	2.49	316 SS	0.335	Chrome
NCRLXMG-3	HD Micro	2.04	Nanolite	6.7	2.34	316 SS	0.29	Chrome
NCRLXMG-3	HD Micro	2.49	Nanolite	7.05	2.83	316 SS	0.34	Chrome

Tops

Part No.	Description	Ring ID	Ring Mat.	Tube Size	Foot Width (mm)	Frame Mat.	Wt. GM	Finish
NCRLMT-4-4	Nanolite Braced Tops	2.48	Nanolite	4.0/64"	-	316 SS	0.315	Chrome
NCRLMT-4-4.5	Nanolite Braced Tops	2.48	Nanolite	4.5/64"	-	316 SS		Chrome
NCRLMT-4-5	Nanolite Braced Tops	2.48	Nanolite	5.0/64"	-	316 SS		Chrome
NCRLMT-4-5.5	Nanolite Braced Tops	2.48	Nanolite	5.5/64"	-	316 SS		Chrome

Micro Guide Specifications

Provided by Mud Hole Custom Tackle

Part No.	Description	Ring ID	Ring Mat.	Tube Size	Foot Width (mm)	Frame Mat.	Wt. GM	Finish
NBRLMT-4-4	Nanolite Micro Tip Top	2.48	Nanolite	4.0/64"	-	316 SS	0.315	Black
NBRLMT-4-4.5	Nanolite Micro Tip Top	2.48	Nanolite	4.5/64"	-	316 SS		Black
NBRLMT-4-5	Nanolite Micro Tip Top	2.48	Nanolite	5.0/64"	-	316 SS		Black
NBRLMT-4-5.5	Nanolite Micro Tip Top	2.48	Nanolite	5.5/64"	-	316 SS		Black
NHRLMT-4-4.0	Nanolite Braced Tops	2.5	Nanolite	4.0/64"	-	316 SS	0.28	Chrome
NHRLMT-4-4.5	Nanolite Braced Tops	2.5	Nanolite	4.5/64"	-	316 SS		Chrome
NHRLMT-4-5.0	Nanolite Braced Tops	2.5	Nanolite	5.0/64"	-	316 SS		Chrome
NHRLMT-4-5.5	Nanolite Braced Tops	2.5	Nanolite	5.5/64"	-	316 SS		Chrome
NHRLMT-4-6.0	Nanolite Braced Tops	2.5	Nanolite	6.0/64"	-	316 SS		Chrome
NHRLMT-4-6.5	Nanolite Braced Tops	2.5	Nanolite	6.5/64"	-	316 SS		Chrome
NHRLMT-4-7.0	Nanolite Braced Tops	2.5	Nanolite	7.0/64"	-	316 SS		Chrome
DCRLMT-4-4.0	Duralite Braced Tops	2.54	Duralite	4.0/64"	-	316 SS		Black
DCRLMT-4-4.5	Duralite Braced Tops	2.54	Duralite	4.5/64"	-	316 SS		Black
DCRLMT-4-5.0	Duralite Braced Tops	2.54	Duralite	5.0/64"	-	316 SS		Black
DCRLMT-4-5.5	Duralite Braced Tops	2.54	Duralite	5.5/64"	-	316 SS		Black

Fuji Guides

Part No.	Description	Ring ID	Ring Mat.	Foot Length	Foot Width (mm)	Frame Mat.	Wt. GM	Finish
LSG-3.5J	Fuji Micro	1.52	SIC	5.87	1.24	SS	0.04	Gunsmoke
LSG-4.0J	Fuji Micro	2.03	SIC	5.62	1.19	SS	0.045	Gunsmoke
LSG-4.5J	Fuji Micro	2.47	SIC	7.41	1.32	SS	0.07	Gunsmoke
TKTSG-4	Fuji Micro	2.1	SIC	4.78	1.12	Titanium	0.045	Titanium
TKTSG-4.5	Fuji Micro	2.45	SIC	6.73	1.32	Titanium	0.06	Titanium
KTSG-4	Fuji Micro	2.2	SIC	4.62	1.24	SS	0.07	Polished
KTSG-4.5	Fuji Micro	2.48	SIC	6.99	1.35	SS	0.075	Polished

Micro Guide Specifications

Provided by Mud Hole Custom Tackle

Part No.	Description	Ring ID	Ring Mat.	Foot Length	Foot Width (mm)	Frame Mat.	Wt. GM	Finish
BKTAG-4	Fuji "K" Micro	1.99	Alconite	4.93	1.24	SS	0.09	Black
BKTAG-4.5	Fuji "K" Micro	2.3	Alconite	6.22	1.47	SS	0.1	Black
BMKOG-3.5	Fuji "K" Micro	1.64	AL Oxide	4.37	1.24	SS	0.04	Black
BMKOG-4.0	Fuji "K" Micro	2.16	AL Oxide	4.88	1.55	SS	0.045	Black
BMKOG-4.5	Fuji "K" Micro	2.47	AL Oxide	5.84	1.78	SS	0.07	Black
BLAG-4J	Fuji Micro	2.01	Alconite	5.97	1.22	SS	0.065	Black
BLAG-4.5J	Fuji Micro	2.31	Alconite	7.5	1.35	SS	0.1	Black
BLDBAG-4	Fuji HD Micro	1.95	Alconite	4.19	1.02	SS	0.09	Black
BLDBAG-4.5	Fuji HD Micro	2.3	Alconite	5.44	1.5	SS	0.15	Black

Tops

Part No.	Description	Ring ID	Ring Mat.	Tube Size	Foot Width (mm)	Frame Mat.	Wt. GM	Finish
TFST-4.5-3.5	Micro Tip Top	2.38 mm	SIC	3.5/64"	-	SS		Titanium
TFST-4.5-4.0	Micro Tip Top	2.38 mm	SIC	4.0/64"	-	SS		Titanium
BFAT-4.5-3.5	Micro Tip Top	2.31 mm	Alconite	3.5/64"	-	SS		Black
BFAT-4.5-3.8	Micro Tip Top	2.31 mm	Alconite	3.5/64"	-	SS		Black

Pacific Bay

Part No.	Description	Ring ID	Ring Mat.	Foot Length	Foot Width (mm)	Frame Mat.	Wt. GM	Finish
CF4CG-3	Minima Micro	2.1		5.72	1.83	SS	0.005	Chrome
CF4CG-4	Minima Micro	3.18		6.45	2.11	SS	0.12	Chrome
XF4XG-3	Minima Micro	2.1		5.72	1.83	SS	0.005	Tich
XF4XG-4	Minima Micro	3.18		6.45	2.11	SS	0.12	Tich